

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FII	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/750,399	1	2/31/2003	Joakim Gripemark	03370-P0069A	8990
24126	7590	08/19/2005		EXAMINER	
ST. ONGE 986 BEDFO		RD JOHNSTON &	TORRES, MELANIE		
STAMFORD, CT 06905-5619				ART UNIT	PAPER NUMBER
				3683	

DATE MAILED: 08/19/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

m)						
	Application No.	Applicant(s)				
	10/750,399	GRIPEMARK, JOAKIM				
Office Action Summary	Examiner	Art Unit				
	Melanie Torres	3683				
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet	with the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a rep - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may ly within the statutory minimum of the will apply and will expire SIX (6) Me, cause the application to become	a reply be timely filed thirty (30) days will be considered timely. ONTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 03 J	lune 2005.					
· · · · · · · · · · · · · · · · · · ·	s action is non-final.					
3) Since this application is in condition for allowa	·—					
Disposition of Claims						
4) ☐ Claim(s) 1-16 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-16 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.					
Application Papers						
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on 31 December 2003 is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Examine	are: a) accepted or b) drawing(s) be held in abey tion is required if the drawi	vance. See 37 CFR 1.85(a). ng(s) is objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in ority documents have been u (PCT Rule 17.2(a)).	Application No en received in this National Stage				
Attachment(s) I) D Notice of References Cited (PTO-892)		v Summary (PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date		o(s)/Mail Date f Informal Patent Application (PTO-152) 				

Art Unit: 3683

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "bearing means" of claim 15 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Art Unit: 3683

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

- 3. Claims 1-8 are rejected under 35 U.S.C. 102(e) as being anticipated by Sandberg et al (048) which has an effective date of March 12, 2002.

 Note the integrated sleeve and hub at Figs. 1-4 with sleeve/hub at 2 in Sandberg et al.
- 4. Claims 1-8 are rejected under 35 U.S.C. 102(e) as being anticipated by WO 02/073061 to Sandberg et al with an effective date of March 13, 2002.
- 5. Claims 1-8 are rejected under 35 U.S.C. 102(e) as being anticipated by Severinsson et al (6,705,437).

Note Fig. 2 with sleeves 4.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 3683

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

7. Claims 1-9 are rejected under 35 U.S.C. 1O3(a) as being unpatentable over Dagh et al. (5507367) or Bodin et al (5540303) or Dagh et al (5568846) or Dagh et al (6330937) or Gotti et al (U52004/50632 A1) in view of Casey (4844206).

These references are all of record.

Gotti et al has an effective date of 1 1-27-2001.

Each one of the principal references discloses the invention as claimed with the exception of the use of a "fixed caliper"

It would have been obvious at the time the invention was made to one having ordinary skill in the art to which the invention pertains to modify each of the principal references to utilize a fixed caliper with slideable disks as opposed to using a slideable or Casey floating caliper as taught by Casey since such modification involves replacing one well known type of brake caliper with an equivalent type of brake caliper. The assemblies operate in substantially the same manner with substantially the same effect. The use of a fixed caliper is sometimes beneficial since it uses fewer parts thus reducing costs. It is notoriously old to use brake disks that are keyed or splined to a sleeve or housing for brake actuation and for facilitate brake maintenance. See column 1, lines 6-9 of Casey.

8. Claims 10-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dagh et al (6330937) or Gotti et al (U52004/50632 A1) in view of Casey (4844206) as applied above.

Dagh et al. and Gotti et al. as modified teach the inner wall of the sleeve as claimed adjacent element 4 and above element 12 in each Figure 1 respectively.

9. Claims 1-9 are rejected under 35 U.S.C. 1O3(a) as being unpatentable over Bunker (6,705,434), in view of Casey (4844206) and Brooks et al.

Bunker et al, include an integrated sleeve/hub in Fig. 2 at 16, 16b, 20.

Bunker et al lack the "fixed caliper" feature of claim 1, line 1.

It would have been obvious at the time the invention was made to one having ordinary skill in the art to which the invention pertains to modify the principal reference to Bunker et al (434) to utilize a fixed caliper with slideable disks as opposed to using a slideable similar to that of Casey floating caliper as taught by Brooks et al since such modification involves replacing one well known type of brake caliper with an equivalent type of brake caliper.

The assemblies operate in substantially the same manner with substantially the same effect. The use of a fixed caliper is sometimes beneficial since it uses fewer pads thus reducing costs. It is notoriously old to use brake disks that are keyed or splined to a sleeve or housing for brake actuation and for facilitated brake maintenance.

Integrated hubs and sleeves on which brake disks slide are common.

Response to Arguments

10. Applicant's arguments filed June 3, 2005 have been fully considered but they are not persuasive.

With regard to applicant's argument with respecto to foreign priority to overcome Sandberg '048, Applicant cannot rely upon the foreign priority papers to overcome this rejection because a <u>translation</u> of said papers has not been made of record in accordance with 37 CFR 1.55. See MPEP § 201.15.

With respect to arguments stating that the sleeve is straight. Applicant claims wherein the outer periphery is "generally straight and parallel." The examiner's position is that this limitation is met to the same extent as applicant's invention.

With respect to arguments stating that the "groove" is not disclosed in the applied references, the language is deemed extremely broad and it is clear that grooves are shown in all refrerences. In Sandberg et al. '048, element 4, in Sandberg '061, element 4, in Gotti et al., element 24, in Dagh et al. '937, element 8, in Dagh et al. '846, element 11, in Dagh et al., '367, element 11, in Bodin et al, element 23, in Severinsson '437, element 4 and in Bunker element 20.

Conclusion

11. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 3683

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melanie Torres whose telephone number is (571)272-7127. The examiner can normally be reached on Monday-Friday, 6:30 AM - 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Marmor can be reached on (571)272-7095. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3683

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MT August 16, 2005

> Mulanie Sores 8/14/05